

SAFETY DATA SHEET

1. IDENTIFICATION

NAME OF PREPARATION OR SUBSTANCE: SUPPLIER NAME: SUPPLIER ADDRESS:

TELEPHONE NUMBER: RECOMMENDED USE: EMERGENCY TELEPHONE NUMBER: PALM FRUIT OIL – ORGANIC RSPO IP Jedwards International, Inc. 141 Campanelli Drive Braintree, MA 02184 USA (617)472-9300 For manufacturing and repackaging use only Chemtrec 1-800-424-9300 (24 hrs)

2. HAZARD IDENTIFICATION

The product does not belong to any list of substances supposedly hazardous to human or animal health according to EU guideline 548/67 and further amendments, nor to those having recognized exposure limits.

EYE CONTACT: SKIN CONTACT:

INGESTION: INHALATION:

3. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS: INCI NAME: CAS NUMBER: EC NUMBER:

4. FIRST AID MEASURES

EYE CONTACT:

SKIN CONTACT: INGESTION: INHALATION:

5. FIRE FIGHTING MEASURES

FLAMMABILITY OF THE PRODUCT: AUTO-IGNITION TEMPERATURE: FLASH POINT: PRODUCTS OF COMBUSTION: EXTINGUISHING MEDIA: SPECIAL FIRE FIGHTING PROCEDURES: Vegetable oil triglycerides (100% from palm) *Elaeis guineensis (Palm) Oil* 8002-75-3 232-316-1

No known hazard, might cause irritation.

prolonged exposure.

Food grade

May cause irritation on sensitive individuals with

Inhalation of fine mist may affect respiratory system.

Flush with plenty of water or eye wash solution for 15 minutes. Get medical attention if irritation persists. Wash with soap and flush with plenty of water. Contact physician if discomfort is encountered. Remove to fresh air and seek medical attention.

May be combustible at high temperatures 316°C (600.8°F) 162°C (323.6°F) Closed Cup. Not available Dry chemical, Carbon dioxide, Foam Cool containers exposed to flame with water. Limit the spread of oil. Treat as an oil (edible fat) fire. Use air supplied equipment for fighting interior fires. DO NOT USE WATER TO EXTINGUISH.



UNUSUAL FIRE AND EXPLOSION HAZARDS:		As with all unsaturated fats and oils, some porous materials such as rags, paper, insulation or clay when wetted with this product may undergo spontaneous combustion. Keep such wetted materials well ventilated to prevent possible heat buildup.
6.	ACCIDENTAL RELEASE MEASURES	
SMALL		Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements. If the product is in its solid form: Use a shovel to put the material into a convenient waste disposal container. If the product is in its liquid form: Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.
7.	HANDLING & STORAGE	
PRECAUTIONS: STORAGE:		Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not breathe dust. Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in a cool, well-ventilated place.
		Combustible materials should be stored away from

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
PERSONAL PROTECTION:	Safety glasses. Lab coat.
PERSONAL PROTECTION IN CASE OF A LARGE SPILL:	Splash goggles. Full suit.
	Boots. Gloves.
	Suggested protective
	clothing might not be
	sufficient.
	Boots.
EXPOSURE LIMITS:	Not available.

extreme heat and away from strong oxidizing agents.



9. PHYSICAL & CHEMICAL PROPERTIES

PHYSICAL STATE AND APPEARANCE: ODOR: COLOR: SMOKE POINT: FLASH POINT: **BURNING POINT:** VOLATILITY: WATER/ OIL DIST. COEFF .: DISPERSION PROPERTIES. TASTE: MOLECULAR WEIGHT: pH (1% SOLN/WATER): **MELTING POINT:** SPECIFIC GRAVITY: VAPOR DENSITY: ODOR THRESHOLD: **IONICITY (IN WATER):** SOLUBILITY:

10. STABILITY & REACTIVITY

STABILITY: CONDITIONS OS INSTABILITY: CORROSIVITY: INSTABILITY TEMPERATURE: INCOMPATIBILITY WITH VARIOUS SUBSTANCES: SPECIAL REMARKS ON REACTIVITY: POLYMERIZATION:

11. TOXICOLOGICAL INFORMATION

No information available

12. ECOLOGICAL INFORMATION

PRODUCTS OF BIODEGRADATION:

TOXICITY OF THE PROCUCTS OF BIODEGRADATIOM:

13. DISPOSAL CONSIDERATIONS

RESIDUE FOR DISPOSAL: WASTE DISPOSAL METHOD:

14. TRANSPORT INFORMATION

Non-hazardous transportation.

Solid or semi-solid. Liquid at >27°C (80.6°F) Odorless. Faint odor. Solid: White, Liquid: Yellow 200-230°C 162°C (Closed cup) >311°C (Open cup) 314°C Not available. Not available. Not available. Not available. Not available. Not available 27 to 43°C (80.6 to 110°F) 0.88 to 0.952 (Water=1) Not available Not available Not available. Insoluble in cold and hot water.

Stable Not available. Non – Corrosive. Not available. Not available. Not available. No.

Possibly hazardous short-term degradation products are not likely. However, long-term degradation products may arise. The Products of biodegradation are more toxic.

According to local regulations. Incinerate or use landfill according to local, state and federal regulations.



15. REGULATORY INFORMATION

No information available

16. OTHER INFORMATION

None available

Revised 03/14/2023.

The information provided above is intended only as a guide to the appropriate precautionary handling of the material by properly trained personnel using this product. It is the responsibility of the customer and user to ensure it has in place provisions for the safe and proper handling of the material. Although Jedwards International, Inc. believes the above information to be accurate based on the information available to Jedwards, it is the responsibility of the customer and user of the material to perform its own investigation and due diligence prior to use to verify that the product purchased from Jedwards meets their quality requirements and is appropriate for the use to which the product is to be put. Use and purchase of this material is subject to Jedwards International, Inc. standard terms and conditions, which supersede any conflicting terms contained on Buyer's purchase order or any document or instrument supplied by Buyer.